

BEL-RAY LUBRICANTS



V-Twin Synthetic Motor Oil 805-1700

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and keeps pistons and rings from scuffing
- Features high polarity synthetic base oils which provide minimum friction for increased power
- Advanced multi-grade formulation means cold starts are safe and easy
- The flash point is extremely high which prevents oil burn-off, virtually eliminates oil consumption and keeps engines protected
- SAE Grade 10W-50



V-Twin Motor Oil 805-1720

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and keeps pistons and rings from scuffing
- Minimize oil consumption
- Bel-Ray's additive chemistry, high Viscosity Index, low volatility petroleum base oils and oxidation stability provides added wear protection for increased engine reliability
- Provides excellent low cost lubrication performance and engine protection
- SAE Grade 20W-50



Big Twin Transmission Oil 805-1750

- Superior lubricity minimizes sliding friction for maximum power
- Special lubricity additives reduce sliding friction for exceptionally smooth quiet shifting
- Exclusive Bel-Ray extreme pressure chemistry protects gear components from the destructive effects of shock loading
- High Viscosity Index base oils maintain film strength over a wide temperature range
- SAE Grade 85W-140



V-Twin Sport Transmission Fluid 805-1770

- A high quality lubricant specially formulated for the transmission and primary of Sportster® motorcycles.
- Offers superior lubricity for maximum power, resists oxidation and viscosity breakdown for extended performance, and prevents clutch slipping and chatter for consistent engagement.
- 1L

BEL-RAY LUBRICANTS

V-Twin Primary Chaincase Lube 805-1760

- High-quality lubricant specially formulated for the primary chaincase of all big twin motorcycles.
- Ideally suited to stand up to high pressures, its exclusive Bel-Ray antiwear chemistry ensures long service life for the primary chain.
- Superior oxidation protection for extended performance, and prevents clutch slipping and chatter for consistent engagement.
- Distinctive red color makes it easier to detect leaks in multiple lubrication cavity engines.
- 1 L



Semi-Synthetic Motor Oil 805-1710

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and keeps pistons and rings from scuffing
- Its flash point is higher than standard petroleum based oils which limits oil burn-off to lower oil consumption and keeps hot engines protected
- Features high polarity synthetic base oils which provide minimum friction for increased power
- Offers many of the benefits of Bel-Ray V-Twin Synthetic Motor Oil but at a more economical price
- SAE Grade 20W-50



EXL Motor Oil

- Provides excellent wear protection for all engines, transmissions and clutch components.
- Reduces engine deposits and improves efficiency.

PART #	DESCRIPTION
805-3410	10W40 /L (12/ case)
805-3420	20W50 /L (12/case)
805-3414	10W40 /4L (4/case)



EXP Semi-Synthetic Motor Oil

- Premium quality synthetic and mineral base oils, combined with anti-wear chemistry results in exceptional performance and protection.
- Resists viscosity loss, protects highly loaded transmissions and improves clutch life and performance.

PART #	DESCRIPTION
805-1400	10W30 /L (12/case)
805-1410	10W40 /L (12/case)
805-1420	20W50 /L (12/ case)
805-1460	60W /L (12/ case)
805-1415	10W40 / 4L Jug (4/ case)
805-1425	20W50 /4L Jug (4/ case)



BEL-RAY LUBRICANTS



EXS Synthetic Premium Motor Oil

- Uses High Polarity synthetic base oils and exclusive Anti-Wear chemistry to protect engine, transmission and clutch components under the most severe stress and temperatures.

PART #

805-2410

805-2420

DESCRIPTION

10W50 Prem. /L (12/ case)

0W40 Prem. /L (12/ case)



EXR Racing Motor Oil

805-2050

- 20/50
- Exclusive Molbuamin® compound reduces friction and prevents metal-to-metal contact in high revving valve train and crankshaft components.
- Absorbs heavy shock loads under extreme temperatures and retains stable viscosity.
- 1 L container (12/case)
- Racing 20/50



H1R Synthetic 2-Cycle Racing Oil

- Gives maximum film strength and anti-scuff protection for pistons, rings, cylinders and unsurpassed load-carrying ability to protect high-revving crankshafts.
- Clean burning formula minimizes deposits in combustion chambers and on variable exhaust valves.
- Recommended for dilution ratios of 30:1 to 50:1.

PART #

805-5000

805-5001

DESCRIPTION

Pint (24/ case)

Litre (12/ case)



Thumper Racing Oil

- Superior lubricity, high VI base oil provides reduced friction loss resulting in maximum engine power.
- Orange in color so it can be easily identified.
- 20W50 and 10W40 engine oil which ensures protection of your engine especially when experiencing high fuel dilution problems that occasionally effect these engine types.

PART #

805-1470

805-1475

805-1480

805-1485

DESCRIPTION

(10W40) 1 Litre (12/ca)

(10W40) 4 Litres (4/ca)

(20W50) 1 Litre

(20W50) 4 Litres



BEL-RAY LUBRICANTS

SI-7 Synthetic 2-Cycle Oil

805-7000

- Virtually eliminates exhaust smoke and minimizes engine deposits.
- Engines run better and last longer with extended service intervals.
- Recommended for injector/autolube systems and premix ratios up to 50:1.
- 1 L container (12/ case)



MC-1 Synthetic 2-Cycle Oil

- Unique dispersant system combined with exclusive synthetic base oils to keep engines clean, with ability to perform at high dilution ratios (50:1 recommended) increases power.

PART

805-1000

805-1004

DESCRIPTION

Pint (24/ case)

4 L (4/ case)



S2 High Performance 2-Cycle Oil 805-5010

- For small motorcycles, mopeds and motor scooters.
- Provides a high level of wear protection and reduces smoking and engine deposits.
- Recommended for injector/auto lube systems and premix ratios up to 50:1.
- 1 L container (12/case). 805-5010



Fork Oil

- For all standard and cartridge-type forks, which gives you consistent damping performance and maximum wear protection.
- Special frictional properties reduce "stiction" and extend seal life.

PART

805-1005

805-1007

805-1010

805-1015

805-1020

805-1030

DESCRIPTION

5W 1L (12/case)

7W 1L (12/case)

10W1L (12/case)

15W1L (12/case)

20W1L (12/case)

30W1L (12/case)



BEL-RAY LUBRICANTS



MC4 Gear Saver Transmission Oil

- Features a special Extreme Pressure (EP) chemistry
- Formulated to give maximum gear protection and improved clutch performance and shifting.
- 1 Litre Jug

PART

805-4750
805-4800
805-4850

DESCRIPTION

Light - 75W
Light - 80W
Medium 85W



MC4 Gear Saver Hypoid Gear Oil

- Features special base oils and exclusive Extreme Pressure chemistry to give unsurpassed protection for heavily loaded transmission and final drive units including limited-slip differentials.
- 1 Litre Jug

PART

805-4809
805-4851
805-4900

DESCRIPTION

80W90
85W - 140
90W

BEL-RAY LUBRICANTS



ATV Trail Motor Oil with Rust Defense System (RDS System)

- ATV Trail Motor Oil with Rust Defense System (RDS) utilizes a brand new technology to protect utility ATV engines from the harmful effects of moisture that water crossings and cold weather use often introduce.
- Combines unsurpassed corrosion protection, with unbeatable anti-wear chemistry, to deliver the ultimate in protection tailored to the unique demands of ATV and UTV service.

PART

805-1300
805-1310

DESCRIPTION

10W30
10W40



ATV Racing Oil

805-2060

- A premium multi-grade synthetic blend motor oil engineered for sport model and racing 4-stroke ATVs.
- Combination of synthetic esters and highly-refined petroleum base oils releases maximum horsepower while providing consistent clutch performance.
- A class-leading additive package that provides superior wear protection for high-revving race engines, and protects against viscosity breakdown under high temperature, high shear and fuel dilution conditions commonly encountered in racing and aggressive sport riding.
- 10W40

BEL-RAY LUBRICANTS

DOT 4 Super Brake Fluid

805-1527

- Meets DOT 3&4 specs.
- Excellent for hydraulic clutches, it also reduces the possibility of vapor lock which may result in brake failure.
- 355ml (12/case)



DOT 5 Silicone Brake Fluid

805-1525

- Does not absorb water - the main enemy of brake fluids - and has an extremely high boiling point to fight fading.
- Will not affect plastic or painted surfaces.
- 355ml (12/case)



JS2 Watersports Oil

805-1600

- Specially formulated for the demands of severe duty service of today's watersports and marine engines.
- Provides maximum protection from rust, corrosion and plug fouling for peak power and performance.
- 4 L container (4/case)



Degreaser and Engine Cleaner

805-9020

- Removes oil, grease and dirt
- Simply spray on and rinse off with water
- 16oz (12/case)



Motorcycle Specific Formulation

BEL-RAY LUBRICANTS

Spray Foam Filter Oil 805-6010 (12/case)



- Ultra-viscous for the highest levels of engine protection
- Fast-drying for more convenient maintenance.
- It creates a highly tacky barrier for superior filtration without restricting air flow.
- Able to trap micron-sized, airborne particles that can cause engine damage and performs exceptionally well in dusty environments.

Foam Filter Oil 805-6000



- For all foam-type air filters.
- Bel-Ray's super viscous formula traps dust & dirt to help prevent engine damage.
- Waterproof & will not gum-up or clog when wet.
- Dark blue color makes it easy to see when filter is thoroughly covered.
- 1 L container (12/case)

Waterproof Grease



805-1100 (tub 16oz)
805-1101 (14 oz tube)

- Completely waterproof even in salt water.
- Provides maximum lubrication and corrosion resistance for wheel bearings, bushings and chassis lubrication points.

MC9 Brake & Contact Cleaner 805-9000



- Cleans and degreases brake components, electrical contacts, spark plugs, electrical motors and all metal surfaces.
- Dries in seconds and leaves no residue.
- 354 gr aerosol (12/case)



"Super Clean" Chain Lube 805-2210

- Absolutely does not "fling-off", prevents rust and is completely waterproof.
- Repels dirt, sand, water and grit
- Provides long lasting anti-wear protection for your chain and sprockets
- 13.5 oz-382gr.(12/case)



H2 6 in 1 Multi Lubricant 805-9010



- Contains the revolutionary additive Molbaumin that provides high film strength and cleans as it lubricates.
- Works as a penetrating and lubricating fluid.
- Protects against corrosion and rust.
- Displaces water, reduces friction.
- Will not harm electrical contacts.
- 454 gr aerosol (12/case)



BEL-RAY LUBRICANTS

Belray Chain Lube MC4

805-2300

- Exclusive Molyphos additive provides superior wear protection for all standard, competition and "O"-ring type chains.
- Completely waterproof with anti-corrosion ingredients
- 16 oz-454gr. (12/case)



HVI Racing Suspension Fluid

- Provides consistent suspension control over a wide range of conditions and temperatures.
- Non-foaming, prevents fading and reduces "stiction".
- Suitable for all standard and competition shocks and forks.
- 1L (12/case)

PART

805-2001

805-2002

805-2003

DESCRIPTION

Light - 5W

Medium - 10W

Heavy - 15/20WT



KART RACING OIL



XTR 4-Cycle Kart Racing Oil

831-0460

Designed for racing 4-cycle karts. A low fluid friction lubricant with extremely low metal-to-metal friction on cylinders, rings and valve train surfaces. The result is more horsepower and torque delivering, quicker lap times, better acceleration, less oil in crankcase and longer engine life.

- 1 Pint



TORCO V-SERIES LUBRICANTS



V-Series Trans Lube SAE 75W90

831-0840

A selective blend of synthetic and petroleum based oils designed to protect all gear face surfaces and bearing components found in Harley® and aftermarket transmissions. Our race proven extreme pressure and anti-friction chemistry promotes the highest degree of protection for extended transmission life. This shear stable formula also provides smooth shifting and prevents the formation of rust and oxidation which is critical during storage.

- Exceeds API Service GL-6.
- Recommended for use in all 4 and 5 speed FL, FLT, FX and FXR transmissions. 1 Qt. (12/case)





V-Series Primary Chaincase Lubricant

831-0850

A selective blend of synthetic and petroleum base fluids designed to protect all critical drive components found in Harley® and aftermarket chaincases. Provides the highest degree of protection and smooth positive clutch operation. Recommended for use in FL, FLT, and FXR chaincase applications. Also recommended for the combined primary / transmission of Sportster® Seerier XL and XR applications.

- Manufactured to exceed manufacturer's performance requirements.
- Exceeds API Service GL-4.
- Recommended for use in FL, FLT, FX and FXR chaincase applications.
- Also recommended for use in the combined primary/transmission of Sportster Series XL and XR applications.
- 1 L (12/case)



Torco V-Series SAE 20W50

831-0070

A unique petroleum based motor oil specifically designed for Harley® and custom v-twin engines. It is formulated using highly stable hydrocracked base stocks and our race proven MPZ additive providing better cooling, cleaning, ring sealing, deposit control and wear protection. Special additive components maintain viscosity and provide thermal stability under high heat environments found in air-cooled v-twin engines. This multi-viscosity grade also provides excellent low temperature flow and increases overall horsepower and torque.

- Formulated to exceed manufacturer's performance requirements.
- Exceeds API Service SG/SH
- Recommended for use in late model Evolution Harley® S&S and other high performance v-twin engines.
- 1 Litre (12/case)



Torco V-Series "ST" Motorcycle Oil

V- Series Motor Oils are formulated using highly refined petroleum base stocks and Torco's race proven MPZ additive providing better cooling, cleaning, ring seal and deposit control and anti-wear protection. Maintains viscosity and provides thermal stability under high temperature environments.

- Recommended for use in pre-Evolution Harley® S&S and other high performance v-twin engines.
- Also recommended for racing applications that run alcohol or nitromethane.
- Formulated to exceed manufacturer's performance requirements. Exceeds API Service SG/SH
- 1 Litre (12/case)

Torco V-Series "ST" SAE 50

831-0080

Torco V-Series "ST" SAE 60

831-0090

- For use in temperatures above 80 F (30 C).



Torco V-Series "SS" Full Synthetic SAE 20W50

831-0060

V-Series SS synthetic Motor Oil is a 100% synthetic formula engineered to maximize performance and protection in Harley® and custom V-Twin engines. A combination of Group IV and V synthetic base oil technology offers extreme temperature lubrication, long term durability and engine cleanliness. Torco's exclusive MPZ® additive system reduces frictional losses to improve engine performance and provide superior anti-wear. V-Series SS is the ultimate Torco formula with a proven history of providing critical protection of all vital engine components.

- Recommended for late model air cooled or liquid cooled engines found in Harley Davidson®(Evolution®, XL, Evolution® 1340,Twin Cam & Revolution engines),Buell® or similar v-twin applications
- 1 L. (12/case)

TORCO MOTORCYCLE LUBRICANTS



T-4 4-Stroke Motorcycle Oil

T-4 is a highly refined petroleum blend lubricant designed specifically for motorcycle engines. Utilizes an exclusive blend of additives and polymer systems that resist high shock loads, high temperatures, shearing and eliminates deposits. T-4 is formulated to remain stable under peak operating temperatures and provide excellent protection for integrated transmissions.

- 1L (12/case)

PART #	DESCRIPTION
831-0300	10w40 / Litre
831-0320	20w50 / Litre
831-0330	20w50 / Drum 205 L
831-0310	10w40 / Drum



T4R 4-Stroke Motorcycle Oil

A blend for specially selected synthetic and petroleum base oils designed for high output motorcycle engines. Provides smooth, positive clutch engagement, maximum engine protection and extreme pressure protection for integrated transmissions. Features higher shear stability and Torco's race proven technology providing the highest degree of anti-wear.

- Low temperature flow, withstands high heat, prevents fuel wash, reduces piston scuffing, reduces valve train wear, better ring sealing, maintains compression.
- Increases engine life.
- Recommended for all 4-cycle ATV and motorcycle racing engines.
- 1 L (12/case)

PART #	DESCRIPTION
831-0210	10W40
831-0220	20W50



T-4SR 4-Stroke Racing Oil

100% synthetic oil designed for highly stressed four stroke racing engines. T-4SR minimizes frictional losses for increased power and provides the highest degree of protection under the most severe racing conditions. Offers the ultimate in viscosity control, shear stability, anti-wear and smooth, positive clutch activation.

- Reduces engine friction and temperature; withstands extreme heat and shearing; prevents clutch and transmission wear; increases horsepower; improves shifting and increases RPM.
- Excellent low temperature flow; longer service intervals.
- Will not cause seals to leak.
- 1 Litre (12/case)

PART #	DESCRIPTION
831-0110	10w40
831-0120	20w50



T-4M (Petroleum with MPZ Engine Oil)

With the synthetic viscosity improver and race proven MPZ additive, this unique engine oil formula provides better cooling, cleaning, ring sealing and wear protection. It withstands the high shear condition which occur in the motorcycle engine, transmission and wet clutch at normal engine speeds and high RPM.

- Recommended for all high performance street ridden and racing motorcycles.
- 1 Litre (12/case)

PART #	DESCRIPTION
831-0130	10w40
831-0140	20w50





TORCO LUBRICANTS



T-4MXR 4-Stroke Racing Oil

831-0100

A blend of specially selected synthetic and petroleum base oils for off road 4-stroke racing engines. Provides the highest degree of protection under extreme temperatures, severe shock loads and pek RPM's. Improves ring seal, protects valve train, eliminates deposits, controls foam, resists high shock loads and provides smooth, positive clutch activation

- New Non-Friction Modified Formula with no molybdenum
- For use in off-road air-cooled or liquied-cooled 4-stroke racing engines
- 15W40 / 1 litre (12/ case)



GP7 Racing 2-Cycle Oil

GP-7 is a 100% oil specifically designed for high output 2-stroke racing engines.

GP-7 utilizes Torco's advanced smokeless technology to increase power and efficiency, imporve throttle response and provide "ultra clean" performance. A combination of synthetic fortifiers and additive systems provide protection under extreme temperatures, high rpm and load conditions. GP-7 is blended for maximum performance and will prevent plug fouling, pre-ignition, ring sticking and power valve deposits.

- Will not mix with alcohol.

PART

831-0500

831-0510

831-0520

831-0530

SIZE

500 mL (12/ case)

Litre (12/ case)

Gal. (6/ case)

5 Gal



PWC Watercraft Engine Oil

A superior blend of smokeless synthetic bas oils, petroleum bas oils and low ash additives designed for high output personal watercraft engines. Offers lower emissions, superior engine protection and improved throttle response. A proprietary additvie system provides superior anti-friction and anti-wear thechnology while protecting against rust and oxidation. PWC is formulated to protect pistons, tings, cylindre heads, spark plugs and power valves from harmful depostis.

- Designed for oil injected engines but can be premixed with gasoline.
- Keeps piston crown, head, spark plug and exhaust port clean.
- Special detergents keep ring grooves clean and rings free to maintain compression and prevent power loss.

PART

831-1900

831-1905

831-1930

DESCRIPTION

1 Litre (12/ case)

Gallon (6/ case)

Drum



T-2i Injector Oil 831-0650

A combination of smokeless syyntetice and highly refined low carbon petroleum base oils that offer "ultra clean" performance and protection. A proprietary additive system virtually eliminates deposits under a full range of RPM and temperature conditions. T-2i's clean combustion properties offer better throttle response, improved acceleration and increased power efficiency.

- 2-Stroke Oil
- 1 Litre (12/ case)



T-2 High Performance 2 Stroke Oil

831-0660

T-2R High Performance 2-Stroke Oil is designed for today's High Performance Recreational Machines. T-2R's well-balanced blend of smokeless synthetic and highly refined petroleum base oils provides extra wear protection, "ultra clean" performance, enhanced throttle response and increased horsepower. T-2R has an advanced additive system minimizes spark plug fouling and ring sticking under a full range of RPM and temperature.

- 2-Stroke Oil
- 1 Litre (12/ case)

SNOWMOBILE LUBRICANTS



Quality Lubricants Since 1950

SSO 100% Synthetic Smokeless 2-Cycle Oil

Torco SSO is a 100% synthetic based 2-cycle oil designed for high performance snowmobile engines. This super cold flow, smokeless formula offers unsurpassed protection against wear, friction, deposits, corrosion and plug fowling.

- Exceeds API-TC, JASO-FC and ISO-L-EGD performance.
- For premix or injector use.

PART#

831-1400

831-1410

831-1430

DESCRIPTION

1 Litre (12/case)

1 gallon (6/case)

205L Drum



SPO Synthetic/Petroleum Blend 2-Cycle Oil

Torco SPO is a specific blend of synthetic and petroleum base oils designed for high output snowmobile engines. It is formulated for low temperature conditions and offers clean performance to maintain higher compression, eliminate deposits and improve combustion.

- Exceeds API-TC, JASO-FC and ISO-L-EGD performance.
- For premix or injector use.

PART#

831-1500

831-1510

831-1530

831-1520

DESCRIPTION

1 Litre (12/case)

1 gallon (6/case)

205L Drum

5 Gal



Synthetic Chain Case Oil(SCC)

831-1700

SCC Synthetic Chain Case Oil is a 100% synthetic-base fluid designed to protect all critical drive components found in snowmobile chain cases.

It is an MPZ fortified formula that provides excellent anti-friction, anti-wear and shock load protection.

- Highly recommended for racing applications.
- 500 ml (12/case)



S-4SR Snowmobile 4-Cycle 100% Synthetic

831-0221

S-4SR Snowmobile 4-Cycle Oil with NASCAR proven technology is a 100% synthetic formula designed for high stressed 4-cycle racing engines in the most severe conditions. S-4SR is an MPZ fortified formula that offers the ultimate in viscosity control, anti-friction, anti-wear and improved power output. It is formulated to reduce engine temperature and wear from high load conditions. A selective additive system and polymer chemistry also provides anti-oxidation, anti-foam, and anti-rust features to keep engines protected. S-4SR offers the best protection for engines running at high RPM, high temperatures and under extreme loads or endurance type conditions.

Torco S-4SR is recommended for use in air cooled or liquid cooled snowmobile 4-cycle engines commonly found in Arctic Cat , Polaris , Ski-Doo , Yamaha and other snowmobile 4-cycle racing engines.

- 0W/30 1L



TORCO SNOWMOBILE LUBRICANTS



S-4M Snowmobile 4-Cycle Oil 831-0131

S-4M Snowmobile 4-Cycle Oil is made using highly refined petroleum oils designed specifically for snowmobile engines. It utilizes a unique blend of specific additives and polymer systems that resist high shock loads, high temperatures, shearing and eliminates deposits. S-4M is formulated to provide maximum engine protection under extreme conditions. The S-4M formula also includes our proprietary MPZ additive that provides the highest degree of anti-wear and anti-friction for superior component life and engine performance.

Torco S-4M is recommended for use in air cooled or liquid cooled snowmobile 4-cycle engines commonly found in Arctic Cat, Polaris, Ski-Doo, Yamaha and other snowmobile 4-cycle racing engines.

- 5W/30 1L

TORCO MOTORCYCLE LUBRICANTS



MTF Manual Transmission Fluid 831-0890

Torco MTF Manual Transmission Fluid is a special light viscosity, low friction oil with superior load carrying and wear protection properties. It is formulated using the highest quality petroleum base stocks and unique additive systems that focus on thermal stability, shear stability and shock load protection. Treated with anti-oxidation, anti-corrosion and anti-foam to reduce fluid degradation and increase life of all drive components.

- Superior load carrying and wear protection
- Improves power throughput
- Quicker shifts and smooth operation
- Superior shock load, EP and wear protection
- 1L



MTF Transmission Fluid

For high performance 2-cycle motorcycle transmissions where low viscosity is required. A blend of high Viscosity Index (VI) base oils and the most shear stable synthetic polymers.

- Provides superior wear protection, extended clutch life, better cooling and improved shifting of transmissions.
- 1 Litre (12/case)

PART #	DESCRIPTION
831-0800	75W
831-0810	80W



MGO Hypoid Gear Oil 831-0900

Made with the finest synthetic and petroleum base oils, polymers, extreme pressure, anti-wear, anti-foam and anti-oxidant additives. This combination of ingredients meets the requirements of motorcycle transmissions and shaft drive gears where heat, speed and shear are critical factors.

- 1 Litre (12/case)
- 80W90

Torco TORCO MOTORCYCLE LUBRICANTS

RFF Racing Fork Fluid

Blend of petroleum base oils and high Viscosity Index (VI) synthetic oil. This formula features outstanding protection against foaming, seal swell, oxidation, corrosion and wear. Designed to give consistent performance over a wide temperature range in all conventional and cartridge fork applications.

- 1 Litre (12/case)
- Also available in a drum by special order.

PART #	DESCRIPTION
831-1100	5WFluid 5-1 Litre
831-1105	5W Fluid 5-5Gal
831-1180	7WFluid 7-1Litre
831-1185	7W Fluid 7-5 Gal
831-1120	10W Fluid 10-1Litre
831-1140	15WFluid 15-1Litre
831-1160	20WFluid 20-1Litre



RSF Racing Shock Fluid

Made to meet the extreme change in temperature caused by friction inside the shock during motorcycle races. It uses 100% synthetic, high Viscosity Index (VI) base oils with anti-foam, anti-wear and seal swell additives to provide consistent performance with both steel and aluminum shock components.

- 1 Litre (12/case)
- Also available 5 gallon and drum by special order.

PART #	DESCRIPTION
831-1300	Light 1 Litre
831-1310	Light 5 Gallon
831-1330	Medium 1 Litre
831-1335	Medium 5 Gallon



FFO Foam Filter Oil

831-2200

This super tacky formula prevents the passage of abrasive materials from entering the engine. This unique synthetic formula grabs dirt, dust and other harmful particles, giving unequaled performance and protection.

- 1 Litre (12/case)



Moto Prep Protective Coating Spray

831-2500

Moto Prep is a multi-purpose cleaner, polish and light lubricant that revives dull faded surfaces to a dry shiny finish. Formulated for use on plastic, painted, fiberglass and metal surfaces providing a long lasting shine. Moto Prep is intended for many power sport applications and is excellent for displacing moisture and protecting against corrosion.

- Restores surface to shiny finish For plastic, metal and painted surfaces
- Displaces moisture and protects against rust
- Reduces dirt build-up for easier cleaning





TORCO MOTORCYCLE LUBRICANTS



Power Slide® Chain Lube

Power Slide® is an MPZ® formulated lubricant with extreme wear and rust protection chemistry. Quickly penetrates deep into bushings, pins, bearings and rollers then sets to a stable grease that will not fling off or melt under high temperature conditions. Designed to exceed the demands of high performance and racing conditions.

- Fling free technology Superior anti-wear and anti-rust protection Penetrates deep into bushings, pins, bearings and rollers
- For standard and o-ring chains

PART

831-2010

831-2020

DESCRIPTION

5.5 oz. (12/ case)

14 oz. (12/ case)

TORCO ACCELERATOR

NEW!



Torco Unleaded Accelerator

831-2800

Torco Accelerator is not just another fuel additive. It's simply a RACE FUEL CONCENTRATE! With many of the same additives our winning race fuel possesses, Torco Accelerator is a blend of components which will transform the make up of premium pump gas to closely resemble race fuel. Torco Accelerator will lower the end burn temperature which will make your fuel burn more complete thus releasing all of the power that your engine has to offer.



Grease 8oz.Tube

831-2605

Now available in a convenient 8oz. Tube. Torco Multi-Purpose Waterproof Grease is a superior lithium complex grease that offers excellent lubricating properties in the most extreme temperature conditions. This race proven formula is designed to protect against shock loading, extreme pressure and resist water washout. It also features excellent mechanical and chemical stability while providing protection against rust and corrosion. Torco Multi-purpose waterproof grease is compatible with all seals and is recommended for all bearing, linkage and chassis lubrication.



MPZ Cam Lube 5 oz

831-2700

MPZ is a non-melting concentrate of oil soluble molybdenum, phosphorous and zinc fortified with polymers to increase its adhesive strength. Engine Assembly Lube is designed as a pre-lube for cylinders, pistons, wrist pins, cams, plain bearings, ball bearings, roller bearings, journals and gear sets. Cam Lube is a gelled version of assembly lube designed for anti-scuff protection of cam lobes, lifters and other highly stressed valve train components.

Brake and Contact Cleaner TCI# 831-2100



Brake & Contact Cleaner is a quick drying solvent that effectively removes all traces of dirt, dust, brake fluids, oils and greases from many mechanical surfaces.

- Quick drying, residue free formula
- 18.1 oz. aerosol (12/case)

MPZ Spray Lube

TCI# 831-2300



MPZ is a unique high-tech multi-purpose lubricant that stays put and won't let go. It leaves a heat resistant film that won't run, drip or evaporate off treated metal surfaces.

- Use as an assembly lube, cam lube, chain lube and rust preventive coating.
- Recommended for assembly of engine and transmission components.
- 10.8 oz.

MPZ Engine Assembly Lube

TCI# 831-2400 4 oz.

TCI# 831-2405 1Gal



Assembly Lube provides superior protection against scuffing, galling and metal transfer during critical break-in period.

- Adheres strongly to metal surfaces and will not drain off.
- 4 oz.



Torco Display Rack

TCI# 831-DISPLAY



- Convenient stand to display all your Torco products.
- What people can't see they won't buy!

PL50 Penetrating Oil (T-4M) TCI# 831-2600

PL50 is a multi-use penetrating fluid that displaces moisture and provides superior light film lubrication. Formulated with proprietary anti-wear and anti-corrosion, PL50 penetrates quickly, relieves seized or rusted parts and extends life of treated components.



- Displace moisture and protects against rust
- Light film lubrication for all sliding and pivot points
- Excellent as a fogging fluid for any 2 or 4 stroke application
- 19 oz.(12/case)

PJ1 HIGH PERFORMANCE OILS

2-Stroke

Silverfire 2-Stroke Injector Oil TCI# 815-7320



- Eliminates spark plug fouling & carbon deposits
- Smokeless formula leaves exhaust clean from residue
- Keeps pistons, rings and internal parts clean
- Super lubricating formula
- 32 oz.

Goldfire Premix

TCI# 815-6161



- Ideal for all general 2-stroke applications
- Petroleum/synthetic blend
- Improved piston and ring life
- Stops plug fouling
- 32 oz.

Goldfire Pro Premix

TCI# 815-8160



- Race blended 2-cycle premix
- Special semi-synthetic base
- Dispersants and detergents keep engine burning clean
- Designed for motocross, road racing and other high rpm 2-strokes
- 16 oz.

4-Stroke

Goldfire Motor Oil

10W40

TCI# 815-9320

20W50

TCI# 815-9500



- New synthetic formulation
- Cooler running for reduced engine wear
- Formulated specifically for motorcycle engines
- Smoother shifting
- Extends clutch and transmission life
- Low coefficient of friction for higher RPM's
- Increases horsepower
- 32 oz.



PJ1 TRANSMISSION OILS

2-Stroke Gear Oil

75 WT TCI# 815-1175

80WT TCI# 815-1132



- Smoother shifting
- Extends transmission & clutch plate life
- Won't break down under extreme loads
- Non-foaming
- Extreme temperature formula
- 1 Litre

Shaft Drive Gear Oil

Hypoid 90

TCI# 815-1190

85W - 140W

TCI#815-1140



- Quiet rear end noise
- Withstands extreme temperatures
- Non-foaming
- Protects critical ring & pinion gears
- Non-Corrosive
- 1 Litre

PJ1 SUSPENSION OILS

Fork Tuner™ Oil

- Consistent, smooth damping action for more predictable ride in summer or winter temperatures
- Fine tune your ride to a personal preference
- Non-fading, non-foaming; contains preservative to prevent messy leaks
- 16 oz.

Weight	TCI #
5W	815-2050
10W	815-2100
15W	815-2150
20W	815-2200
30W	815-2300
ATF	815-2500



PJ1 AIR FILTER OILS & CLEANER

Fabric Filter Oil



- TCI# 815-4200
- For gauze type air filters
 - Filters out dirt and sand
 - Water repelling
 - Allows engine to breathe more efficiently
 - 15 oz.

Foam Filter Oil



- TCI# 815-5160
- Super Tacky formulation filters out dirt & sand
 - Water repelling
 - Allows engine to breathe more efficiently
 - Improves performance of all filters
 - 16 oz.

Foam Filter Oil



- TCI# 815-5200
- Easy, no waste application
 - Super tacky to filter out dirt & sand
 - Water repelling
 - Allows engine to breathe more efficiently
 - Non-setting
 - 13 oz. aerosol

Air Filter Cleaner



- TCI# 815-1522
- Quickly dissolves dirt & grime
 - Easy-to-use spray on & hose off
 - Won't harm filter glues
 - 15 oz x 12

PJ1 CHAIN AND CABLE LUBES



Black Label Heavy Duty Chain Lube

8 oz. TCI# 815-1060
20 oz. TCI# 815-1200



- O-Ring safe
- Standard Roller Chain Lubricant
- New Super tacky formula, won't fly off chain
- Extends chain and sprocket life
- Prevents rust and corrosion
- Ideal for on and off road applications
- Reduces chain stretching
- Petroleum based

Use Part # 815-1080 / 815-1220 for O ring chains

Blue Label O'Ring Chain Lube

8 oz. TCI# 815-1080
20 oz. TCI# 815-1220



- Applies easily
- Protects against rust and corrosion
- Displaces and repels water
- Extends O'Ring chain life
- Protects sprocket surface from wear
- Petroleum based
- Minimal rolling resistance

Penetrating Cable Lube

TCI# 815-1120



- Cleans & lubricates in one application
- Makes cables operate smoother
- Extends cable life
- Easy-to-use formula
- 11 oz.

PJ1 FUEL ADDITIVES

Fuel Injection Cleaner TCI# 815-1320



- Cleans fuel system quickly & efficiently
- Increases power & efficiency
- Improves fuel economy
- Lengthens engine life
- Dissolves harmful fuel deposits
- Removes varnish build-up in fuel lines

PJ1 TIRE TREATMENTS

Flat Shield

TCI# 815-2016



- Approved for tube & tubeless tires
- Exclusive kevlar fibers/glycol formula
- Won't rust rims or clog valve stems
- Water soluble for easy clean-up
- Seals punctures up to ¼" in diameter
- 16 oz x 9

Combo Pak TCI# 815-1325



- Includes one of: Octane Plus 815-1316 & Fuel Injection Cleaner 815-1320



PJ1 CLEANERS & DEGREASERS

Super Cleaner

TCI# 815-3200



- Great for pre-assembly of all motor parts
- Ideal surface preparation before painting, decal & grip installation
- Cleans carburetors, injector systems, disc brake rotors, pads, brake shoes..everything
- Removes moisture from ignition systems.
- 13 oz.

Spray & Wash

TCI# 815-1520



- Deep penetrating formula dissolves grease, dirt & oil in one step.
- Easy-to-use spray on & hose off formula
- Leaves pleasant smelling, sparkling clean surface
- No annoying vapors
- 15 oz. x 12

PJ1 PROFESSIONAL SHOP CLEANERS

Contact Cleaner

TCI# 815-4030



- Power Spray
- Removes carbon & contaminants from spark plugs and electrical components
- Contains no chlorinated solvents
- Won't contaminate oils
- 19 oz.

Carb & Choke Cleaner

TCI#815-4010



- Power spray
- Quickly cleans & frees valves injectors, jets & linkage
- Contains no chlorinated solvents
- Won't contaminate oils
- 19.7 oz.

Brake Cleaner

TCI# 815-4020



- Power Spray
- Cleans & degreases contaminants from brake units
- Increases performance
- Contains no chlorinated solvents
- Won't contaminate oils
- 19.7 oz.



PJ1 LUBRICANTS

Penetrate/Lube

TCI# 815-1211



- Prevents rust and corrosion
- Lubricates all metal & moving parts
- Penetrates to unlock frozen parts
- Superior lubricating properties
- Dissipates moisture
- Excellent for cutting oil
- 11 oz. x 12

Assembly Lube

TCI# 815-5012



- Protects critical engine and transmission parts during startup
- Mixes with all motor oils
- Easy to use spray formula reaches hard to get to surfaces
- 11 oz.

SPECIAL PRICING

PJ1 LUBRICANTS



Engine Coatings

- Withstands up to 500 F(260 C)
- Restores case & engine components
- Prevents rust & corrosion
- Resists chipping
- 11 oz.

PART

815-1728
815-1610
815-1640
815-1709
815-1660

DESCRIPTION

Case & Barrel Paint - Silver
Engine & Case Paint, Gloss Blk
Engine & Case Paint, Satin Blk
Engine & Case Paint, SatinGrey
Wrinkle Paint, Black



Exhaust Coatings

TCI# 815-1630



- Withstands 2000 F(1093 C)
- Eliminates rust and corrosion
- For all 2 stroke and 4 stroke exhaust systems
- Resists chipping and won't rub off
- Hi-Temp Paint, Flat Black
- 11 oz.

PJ1 SYSTEM-4 COATINGS

Four Step Epoxy Paint Refinishing System

1. Remover - 2. Primer - 3. Epoxy - 4. Clear Finishing Coat

Frame Paint

- Produces a factory like finish on motorcycle frames
- Extremely resistant to rust and corrosion with a hard & durable finish
- Resistant to chipping, cracking or fading
- 11 oz.



DESCRIPTION

Penetrating Vinyl Dye, Satin Blk
Hard Epoxy Paint, Gloss Black
Clear Coat
Hon Red '88-89
Hon White '90
Hon White '91-03
Hon XR Silver '00-04
KTM Metallic Grey '95-99
KTM Silver/Grey '98-03
Kaw Green '88-02
Kaw Glo-Green '97-00

PART

815-1650
815-1620
815-1700
815-1703
815-1710
815-1711
815-1723
815-1708
815-1715
815-1707
815-1702

DESCRIPTION

Kaw Silver '03-04
Kaw/Suz sport ATV Silver '03-04
Suz Blue '84-90
Suz Yellow '91-92
Suz Grey '93-01
Suz Satin Grey
Yam White '87-93, '96
Yam Purple '94
Yam Purple '95 (use white primer)
Yam Blue '97
Yam Blue '98-04(lacquer needed*)
Yam Metallic Silver
*Clear Coat Lacquer (for 815-1713) 815-1722

PART

815-1724
815-1726
815-1705
815-1721
815-1719
815-1709
815-1720
815-1704
815-1714
815-1718
815-1713
815-1729
815-1722

Paint Remover

TCI# 815-1730

- Easy to use, spray on wipe off
- Eliminates heavy scraping & sanding
- Rinses off with water
- Works fast
- 13 oz.
- Professional Grade



Primer Paint

White 815-1800
Grey 815-1809

- Primer coat for exact match colors
- Dries in minutes
- Able to be sanded
- Fills scratches & pinholes
- 13 oz.



THREE BOND

Synthetic Rubber Adhesive

850-1521

The ThreeBond 1521 is a contact cement which is a multipurpose, rubber based adhesive that gives excellent bonding characteristics to a wide variety of materials including rubber, plastic, vinyl, metal, woods, ceramics and more. The TB1521 provides a strong, waterproof bond and sets up within 5-10 minutes depending on temperature and humidity.



Threebond Thread Lock Products For All Your Needs.



No matter what locking properties are required, one of ThreeBond's locking products will get the job done right the first time. ThreeBond's Thread Lock lineup includes high strength retaining properties for various threads, screws, bolts, bearings, piping joints, gears, pulleys, fans, and studs which are not frequently removed, and must remain secure for safety and/or structural reasons. ThreeBond Hi-Temperature Thread Lock is a new sealing and locking agent made to withstand extreme temperatures, capable of withstanding 200°C, which makes it ideal for sealing engine and exhaust components. At the bottom end of the range, ThreeBond's Low-Strength/Frequent Repair product is perfect for small screws and bolts which are frequently removed, and require a force only 10-20% greater than that used for tightening. All ThreeBond Thread Lock products inhibit the development of leaks and rust, and are not

affected by oils, chemicals, various gasses, salt water or organic solvents. All four products widen the range of tolerance limits, thus streamlining assembly operations and eliminating the need for lock washers. All four products come in 10ml containers.

- Sold Individually

Thread Lock

PART#

DESCRIPTION

850-1342

Low Strength: Frequent Removal

850-1360

Hi Temperature: Extreme Heat

CLEANERS/POLISHES

Slipstreamer Scratch Remover

TCI# 850-05

- Designed for heavy cleaning of plastics which have scratches, extra dirt, or dull surfaces.
- 8 oz x 12/case



Slipstreamer Cleaner/Polish

TCI# 850-06

- For polishing and light cleaning of various plastics.
- Leaves a protective coating on the surface.
- 7 oz x 12/case



Protect All Polish

6 oz 850-62006

Protect All is one product that *DOES IT ALL*: cleans, polishes, waxes, protects and treats the surfaces of any vehicle - front to back; inside and out. Protect All works on fibreglass, aluminum, chrome, stainless steel, paint, vinyl, rubber, Plexiglas®, plastic, Formica®, tile, wood, Corian®, marble and glass - yes, especially glass! It is quick and easy to use and leaves an anti-static, water repellent lustrous shine on hard surfaces, while treating the vinyl, rubber

and plastic. Used regularly, the Ultra-Violet Blocker in Protect All aids in preventing the deterioration of most surfaces.

How to Apply:

Before the first application, clean vehicle thoroughly. Shake the container well. Then spray a section very, very lightly and wipe immediately, or apply directly with a clean cloth. Polish completely dry with a second cloth. The surface becomes so slick, nothing will stick or adhere. Dirt and grime cleans off quickly and easily. Overuse is wasteful and difficult to polish dry. If streaks appear, you used too much. Less is best with Protect All! DO NOT GET THE SLIGHTEST OVER SPRAY OF PROTECT ALL ON ANY WALKING SURFACES!! If necessary, remove excess Protect All with a solvent such as mineral spirits.



Protect All Quick & Easy Wash 850-63016

Get a superior wash and shine without soapy or harsh detergents.

- Leaves no streaks or spots.
- Add one ounce to a gallon of water and wash your bike anywhere.
- Requires no rinsing.
- 16 oz bottle



Protect All Duo-Pack 850-64102

The Duo-Pack consists of a packet of PROTECT ALL WASH, and a sponge soaked in PROTECT ALL POLISH.

- Protect All Wash is a quick & easy way to wash your bike. Simply add contents of the packet to a bucket of water, wash your bike 1 section at a time, wiping dry with a soft cloth - no need to rinse! Follow up with the Protect All Polish to give your bike shine & protection from the elements.

CHAIN LUBE



Chain Life 850-210

Since 1967, Champions Choice Chain Life has been the industry standard in extreme pressure lubrication. Chain Life penetrates, clings, and silences chains while repelling dirt, sand, mud and grass. It is an excellent compound for general-purpose lubrication.

- Chain Life is a unique foaming lubricant that starts where oil leaves off
- It applies as a bead of foam thus eliminating overspray and waste
- Chain Life leaves a thin, thermally stable film of extreme pressure lubricant that provides a barrier between moving metal parts, preventing metal to metal contact under heat and pressure
- Chain Life does not contain moly, silicone or graphite
- Chain Life is also excellent as a tapping and threading compound, a lubricant for clutch shafts and open gear systems, a pre-assembly lube for engine parts, as well as an all around general purpose lubricant



Cable Life
Cable Care Combo Kit 850-5010

The Cable Care Kit includes everything you need to clean, purge, and lubricate cables quickly and easily, without removing the cable from its housing. Contains One of each Cable Luber and Cable Life on a retail display

- The Kit contains one 6.25 ounce aerosol can of Champions Choice Cable Life and one Champions Choice Cable Luber

Cable Luber - Sold individually 850-5000

The Cable Luber power injects the lube into the cable with no spill-over or mess. Just attach the Cable Luber to either end of the cable, insert the snorkel & press the button. The cable will be cleaned, purged and lubricated, leaving a non-drying, ultra-thin film.

- NEW improved design now accepts larger cables up to 3/8 inches in diameter
- Two screw clamp for a tighter, more secure fit.
- The easy way to lubricate the cables on your motorcycle.
- Cables need not be removed from the bike.




Cable Lube - Sold individually 850-200

Cable Life & Econo Cable Luber are the quick and easy way to lubricate motorcycle, snowmobile and ATV cables. Simply attach the Cable Luber to either end of the cable, insert the snorkel and press the button. This power injection of Cable Life into the cable cleans, purges and charges it with a fresh lubricant. Cables need not be removed from the vehicle.


- Cable Life aids in preventing cables from freezing in the open position.
- Works at a high humid temperature, displacing moisture, penetrating, lubricating
- Stays fluid to temperatures below -18 Celsius.
- 6.25 oz.

Econo Cable Luber 850-500



Tri-Flow Lubricant 850-450


- Contains micron particles of TEFLON®.
- Deposits a long lasting protective shield that rejects abrasive particles such as dirt, sand and ice.
- Sold individually



Comet Spray Lube (GP730A) 218-204804

Lubrication of Torque Converter Drive Clutch and Driven Units
 Extend the life of your equipment merely by regularly freeing it of belt residue & belt dust. Don't Let your equipment get "gummed up"...or excessive parts wear will result!

- Dry film lubricant
- Will not "dust away" or dislodge.
- Will not attract dust or dirt




EBC

EBC Brake Fluid

The condition of the brake fluid is quite important in a vehicle. The type of fluid should be observed from the cap on the master cylinder and the same exact grade should always be used for top up or replacement. The system should be flushed through with new fluid to change the fluid at least once every two years, according to the vehicle manufacturers recommendations. Failure to do so will result in spongy brakes.

- 250 ml (6/case)

DESCRIPTION	PART #
DOT 4 <i>DOT 4 - A refined specification polyglycol fluid as fitted to most faster street bikes now produced.</i>	850-EBC4
DOT 5 (Silicone) <i>DOT 5 - Silicone fluid as used in Harley Davidson motorcycles and many special high performance brake systems.</i>	850-EBC5
BF307 (Racing Brake Fluid) <i>BF307 - Highly refined Dot 3 brake fluid; ideal for racing or high performance road bikes. Can be used in all systems specifying DOT 3 or DOT 4 but NOT with (DOT 5) silicone fluids.</i>	850-BF307



FILTER OIL



Uni-Filter Foam Filter Oil

850-UF16

- Specially formulated for foam filters.
- Designed to give you the best air filter performance possible.
- Sold Individually.
- 16 oz.



K & N Air Filter Oil

850-F008 (squeeze)
850-F012 (aerosol) 12 oz.

- This Air Filter Oil has been specially formulated to work in combination with the cotton fabric in K & N air filter elements providing a superior air filtration system. When used as directed it quickly penetrates the filter pleats, where it remains suspended in the cotton fabric. Saturation is maintained until the element is eventually cleaned with K & N's Air Filter Cleaner and Degreaser.
- 8 oz x 12/case (squeeze)
- Sold individually



K & N Sealing Grease

850-FG08

- Provides an airtight fit around sealing surfaces on all types of air filter elements.
- Resists heat and will not melt and run off.
- Not to be used on clamp-on filter elements.
- 8 oz tube x 12/case
- Sold individually



K & N Cleaner / Degreaser

850-CD32

5 Gallon

850-CD5

- This Cleaner / Degreaser is formulated to clean K & N (cotton fabric type) air cleaners and air filter elements. It works to dissolve oily dirt build-up and can be washed away with water.
- Biodegradable
- Safe on paint, chrome, aluminum, plastic, rubber, and vinyl when used as directed.
- 32 oz x 12/case
- Sold individually



K & N Recharger Filter Care Kit

12oz cleaner & 8oz squeeze

850-RK02

12oz cleaner & 6.5oz spray oil

850-RK01

This service kit provides you with a six step maintenance system designed to recharge any K&N filter charger Air Filter. It completely restores air flow efficiency so your filter performs like new!